




**Produktgroep 18 A WAFIX PP binnenriolering buizen + hulpstukken**

**Wafix PP afvoerbuizen** zwart Benor, NBN-EN 1451 ( diameter 125 en 160 mm op aanvraag )

<p><b>Wafix PP afvoerbuizen</b> zwart Benor, NBN-EN 1451 ( diameter 125 en 160 mm op aanvraag )</p>	
---	---

art.nr.	wanddikte	diameter	lengte	stuks/palet	€ / stuk
<b>18401</b>	<b>3.0 mm</b>	<b>32 mm</b>	<b>3 m</b>	<b>240</b>	<b>16,50</b>
<b>18402</b>	<b>3.0 mm</b>	<b>40 mm</b>	<b>3 m</b>	<b>240</b>	<b>19,95</b>
<b>18403</b>	<b>3.0 mm</b>	<b>50 mm</b>	<b>3 m</b>	<b>150</b>	<b>21,15</b>
<b>18404</b>	<b>3.0 mm</b>	<b>75 mm</b>	<b>3 m</b>	<b>78</b>	<b>28,35</b>
<b>18405</b>	<b>3.0 mm</b>	<b>90 mm</b>	<b>3 m</b>	<b>60</b>	<b>35,40</b>
<b>18406</b>	<b>3.4 mm</b>	<b>110 mm</b>	<b>3 m</b>	<b>50</b>	<b>50,25</b>
18411	3.0 mm	32 mm	5 m	240	26,50
18412	3.0 mm	40 mm	5 m	240	32,25
18413	3.0 mm	50 mm	5 m	150	34,00
18414	3.0 mm	75 mm	5 m	78	45,50
18415	3.0 mm	90 mm	5 m	60	59,00
18416	3.4 mm	110 mm	5 m	50	83,75
18417	3.9 mm	125 mm	5 m	45	103,75
18418	4.9 mm	160 mm	5 m	28	157,00

**Wafix PP hulpstukken** zwart Benor, NBN-EN 1451 ( diameter 125 en 160 mm op aanvraag )

artikel		art.nr.	diameter	verpakking	€ / st
	<b>Steekmof</b>	<b>18521</b>	<b>32 mm</b>	<b>25</b>	<b>1,90</b>
		<b>18522</b>	<b>40 mm</b>	<b>30</b>	<b>2,25</b>
		<b>18523</b>	<b>50 mm</b>	<b>18</b>	<b>2,35</b>
		<b>18524</b>	<b>75 mm</b>	<b>30</b>	<b>3,30</b>
		<b>18525</b>	<b>90 mm</b>	<b>20</b>	<b>4,90</b>
		<b>18526</b>	<b>110 mm</b>	<b>30</b>	<b>5,20</b>
	<b>Overschuifmof</b>	<b>18531</b>	<b>32 mm</b>	<b>25</b>	<b>1,90</b>
		<b>18532</b>	<b>40 mm</b>	<b>90</b>	<b>2,25</b>
		<b>18533</b>	<b>50 mm</b>	<b>18</b>	<b>2,35</b>
		<b>18534</b>	<b>75 mm</b>	<b>30</b>	<b>3,30</b>
		<b>18535</b>	<b>90 mm</b>	<b>20</b>	<b>4,90</b>
		<b>18536</b>	<b>110 mm</b>	<b>30</b>	<b>5,20</b>

**Produktgroep 18 A WAFIX PP binnenriolering buizen + hulpstukken****Wafix PP hulpstukken** zwart Benor, NBN-EN 1451 ( diameter 125 en 160 mm op aanvraag )

artikel		art.nr.	diameter	verpakking	€ / st
	<b>Bocht 90° Mof-Spie</b>	18541	32 mm	20	1,90
		18542	40 mm	25	2,00
		18543	50 mm	20	2,05
		18544	75 mm	20	4,20
		18545	90 mm	25	6,60
		18546	110 mm	15	6,85
	<b>Bocht 90° Mof-Mof</b>	18561	32 mm	20	2,25
		18562	40 mm	25	2,35
		18563	50 mm	20	2,35
		18564	75 mm	18	4,40
		18565	90 mm	25	7,00
		18566	110 mm	15	7,20
	<b>Bocht 45° Mof-Spie</b>	18551	32 mm	25	1,80
		18552	40 mm	25	1,95
		18553	50 mm	25	1,90
		18554	75 mm	25	3,90
		18555	90 mm	30	6,15
		18556	110 mm	20	6,30
	<b>Bocht 45° Mof-Mof</b>	18571	32 mm	25	2,25
		18572	40 mm	25	2,35
		18573	50 mm	25	2,40
		18574	75 mm	20	4,10
		18575	90 mm	30	6,45
		18576	110 mm	15	6,70
	<b>T-stuk 90° Mof-Mof-Spie</b>	18581	32 mm	25	4,10
		18582	40 mm	20	4,20
		18583	50 mm	27	4,70
		18584	75 mm	25	7,45
		18585	90 mm	17	7,85
		18586	110 mm	10	12,10
	<b>T-stuk 90° Mof-Mof-Mof</b>	18601	32 mm	25	3,65
		18602	40 mm	20	4,20
		18603	50 mm	27	4,80
		18604	75 mm	25	8,20
		18605	90 mm	17	8,30
		18606	110 mm	10	10,90

**Produktgroep 18 A WAFIX PP binnenriolering buizen + hulpstukken****Wafix PP hulpstukken** zwart Benor, NBN-EN 1451 ( diameter 125 en 160 mm op aanvraag )

artikel	art.nr.	diameter	verpakking	€ / st
	<b>18591</b>	<b>32 mm</b>	<b>25</b>	<b>3,10</b>
	<b>18592</b>	<b>40 mm</b>	<b>20</b>	<b>3,25</b>
	<b>18593</b>	<b>50 mm</b>	<b>25</b>	<b>4,10</b>
	<b>18594</b>	<b>75 mm</b>	<b>24</b>	<b>6,50</b>
	<b>18595</b>	<b>90 mm</b>	<b>15</b>	<b>6,60</b>
	<b>18596</b>	<b>110 mm</b>	<b>10</b>	<b>11,45</b>
	18611	32 mm	25	3,05
	<b>18612</b>	<b>40 mm</b>	<b>20</b>	<b>3,35</b>
	<b>18613</b>	<b>50 mm</b>	<b>25</b>	<b>4,05</b>
	<b>18614</b>	<b>75 mm</b>	<b>24</b>	<b>6,75</b>
	<b>18615</b>	<b>90 mm</b>	<b>14</b>	<b>11,10</b>
	<b>18616</b>	<b>110 mm</b>	<b>8</b>	<b>11,85</b>
	18674	75 mm	25	10,90
	18676	110 mm	10	17,85
	185843	75x50 mm	15	7,30
	185863	110x50 mm	15	9,65
	185864	110x75 mm	12	10,80
	186032	50x40 mm	27	6,15
	186042	75x40 mm	15	6,65
	186043	75x50 mm	15	6,65
	186062	110x40 mm	15	8,75
	186063	110x50 mm	15	9,90
	186064	110x75 mm	10	11,00
	186065	110x90 mm	10	11,60
	185943	75x50 mm	15	7,10
	185963	110x50 mm	15	10,00
	185964	110x75 mm	12	10,40
	185965	110x90 mm	9	27,70
	186132	50x40 mm	25	3,95
	186142	75x40 mm	15	6,95
	186143	75x50 mm	15	7,10
	186162	110x40 mm	15	9,70
	186163	110x50 mm	15	10,00
	186164	110x75 mm	12	10,70

**Produktgroep 18 A WAFIX PP binnenriolering buizen + hulpstukken****Wafix PP hulpstukken** zwart Benor, NBN-EN 1451 ( diameter 125 en 160 mm op aanvraag )

artikel		art.nr.	diameter	verpakking	€ / st
	<b>Inzetverloopstuk Excentrisch Mof-Spie</b>	<b>18621</b>	<b>40x32 mm</b>	<b>1</b>	<b>2,20</b>
		<b>18622</b>	<b>50x32 mm</b>	<b>50</b>	<b>2,80</b>
		<b>18623</b>	<b>50x40 mm</b>	<b>50</b>	<b>2,50</b>
		<b>18624</b>	<b>75x40 mm</b>	<b>1</b>	<b>3,75</b>
		<b>18625</b>	<b>75x50 mm</b>	<b>20</b>	<b>3,70</b>
		<b>18626</b>	<b>90x40 mm</b>	<b>1</b>	<b>5,95</b>
		<b>18627</b>	<b>90x50 mm</b>	<b>20</b>	<b>6,95</b>
		<b>18628</b>	<b>90x75 mm</b>	<b>25</b>	<b>8,20</b>
		<b>18651</b>	<b>110x40 mm</b>	<b>25</b>	<b>6,00</b>
		<b>18652</b>	<b>110x50 mm</b>	<b>25</b>	<b>6,00</b>
		<b>18654</b>	<b>110x75 mm</b>	<b>20</b>	<b>6,05</b>
		<b>18655</b>	<b>110x90 mm</b>	<b>20</b>	<b>7,30</b>
	<b>Eindkap</b>	<b>18661</b>	<b>32 mm</b>	<b>40</b>	<b>0,80</b>
		<b>18662</b>	<b>40 mm</b>	<b>130</b>	<b>1,45</b>
		<b>18663</b>	<b>50 mm</b>	<b>50</b>	<b>1,10</b>
		<b>18664</b>	<b>75 mm</b>	<b>25</b>	<b>2,40</b>
		<b>18665</b>	<b>90 mm</b>	<b>24</b>	<b>3,30</b>
		<b>18666</b>	<b>110 mm</b>	<b>12</b>	<b>4,20</b>
	<b>Hoek T-stuk 90° Mof-Mof-Mof- Spie</b>	<b>185869</b>	<b>110 mm</b>	<b>8</b>	<b>138,65</b>
	<b>Ontstoppings T- stuk 90° Mof-Spie</b>	<b>185848</b>	<b>75 mm</b>	<b>15</b>	<b>16,20</b>
		<b>185868</b>	<b>110 mm</b>	<b>12</b>	<b>18,60</b>
	<b>Eindkap met schroefdeksel</b>	<b>18684</b>	<b>75 mm</b>	<b>28</b>	<b>11,05</b>
		<b>18686</b>	<b>110 mm</b>	<b>20</b>	<b>12,55</b>
	<b>Expansiestuk</b>	<b>18694</b>	<b>75 mm</b>	<b>15</b>	<b>9,60</b>
		<b>18696</b>	<b>110 mm</b>	<b>10</b>	<b>13,25</b>
	<b>Verloopbocht 90° Mof-Mof</b>	<b>185641</b>	<b>75x50 mm</b>	<b>12</b>	<b>7,90</b>