




Produktgroep 18 A WAFIX PP binnenriolering buizen + hulpstukken

Wafix PP afvoerbuizen zwart Benor, NBN-EN 1451 (diameter 125 en 160 mm op aanvraag)

<p>Wafix PP afvoerbuizen zwart Benor, NBN-EN 1451 (diameter 125 en 16 mm op aanvraag)</p>	
--	---

art.nr.	wanddikte	diameter	lengte	stuks/palet	€ / stuk
18401	3.0 mm	32 mm	3 m	240	13,75
18402	3.0 mm	40 mm	3 m	240	16,60
18403	3.0 mm	50 mm	3 m	150	17,60
18404	3.0 mm	75 mm	3 m	78	23,55
18405	3.0 mm	90 mm	3 m	60	29,45
18406	3.4 mm	110 mm	3 m	50	41,80
18411	3.0 mm	32 mm	5 m	240	22,15
18412	3.0 mm	40 mm	5 m	240	26,75
18413	3.0 mm	50 mm	5 m	150	28,20
18414	3.0 mm	75 mm	5 m	78	37,75
18415	3.0 mm	90 mm	5 m	60	47,20
18416	3.4 mm	110 mm	5 m	50	67,05

Wafix PP hulpstukken zwart Benor, NBN-EN 1451 (diameter 125 en 160 mm op aanvraag)

artikel		art.nr.	diameter	verpakking	€ / st
	Steekmof	18521	32 mm	25	1,65
		18522	40 mm	30	1,95
		18523	50 mm	18	2,15
		18524	75 mm	30	3,00
		18525	90 mm	20	4,45
		18526	110 mm	30	4,75
	Overschuifmof	18531	32 mm	25	1,65
		18532	40 mm	90	1,95
		18533	50 mm	18	2,15
		18534	75 mm	30	3,00
		18535	90 mm	20	4,45
		18536	110 mm	30	4,75

Produktgroep 18 A WAFIX PP binnenriolering buizen + hulpstukken**Wafix PP hulpstukken** zwart Benor, NBN-EN 1451 (diameter 125 en 160 mm op aanvraag)

artikel		art.nr.	diameter	verpakking	€ / st
	Bocht 90° Mof-Spie	18541	32 mm	20	1,60
		18542	40 mm	25	1,70
		18543	50 mm	20	1,90
		18544	75 mm	20	3,85
		18545	90 mm	25	6,00
		18546	110 mm	15	6,20
	Bocht 90° Mof-Mof	18561	32 mm	20	1,95
		18562	40 mm	25	2,05
		18563	50 mm	20	2,15
		18564	75 mm	18	4,00
		18565	90 mm	25	6,40
		18566	110 mm	15	6,55
	Bocht 45° Mof-Spie	18551	32 mm	25	1,55
		18552	40 mm	25	1,65
		18553	50 mm	25	1,75
		18554	75 mm	25	3,55
		18555	90 mm	30	5,60
		18556	110 mm	20	5,75
	Bocht 45° Mof-Mof	18571	32 mm	25	1,95
		18572	40 mm	25	2,05
		18573	50 mm	25	2,15
		18574	75 mm	20	3,75
		18575	90 mm	30	5,85
		18576	110 mm	15	6,10
	T-stuk 90° Mof-Mof-Spie	18581	32 mm	25	3,55
		18582	40 mm	20	3,60
		18583	50 mm	27	4,25
		18584	75 mm	25	6,80
		18585	90 mm	17	7,10
		18586	110 mm	10	11,00
	T-stuk 90° Mof-Mof-Mof	18601	32 mm	25	3,15
		18602	40 mm	20	3,60
		18603	50 mm	27	4,35
		18604	75 mm	25	7,45
		18605	90 mm	17	7,55
		18606	110 mm	10	9,90

Produktgroep 18 A WAFIX PP binnenriolering buizen + hulpstukken**Wafix PP hulpstukken** zwart Benor, NBN-EN 1451 (diameter 125 en 160 mm op aanvraag)

artikel	art.nr.	diameter	verpakking	€ / st
	18591	32 mm	25	2,65
	18592	40 mm	20	2,80
	18593	50 mm	25	3,75
	18594	75 mm	24	5,90
	18595	90 mm	15	6,00
	18596	110 mm	10	10,40
	18611	32 mm	25	2,65
	18612	40 mm	20	2,90
	18613	50 mm	25	3,65
	18614	75 mm	24	6,15
	18615	90 mm	14	10,10
	18616	110 mm	8	10,75
	18674	75 mm	25	9,35
	18676	110 mm	10	15,35
	185843	75x50 mm	15	6,25
	185863	110x50 mm	15	8,30
	185864	110x75 mm	12	9,30
	186032	50x40 mm	27	5,30
	186042	75x40 mm	15	5,75
	186043	75x50 mm	15	5,70
	186062	110x40 mm	15	7,50
	186063	110x50 mm	15	8,55
	186064	110x75 mm	10	9,45
	185943	75x50 mm	15	6,15
	185963	110x50 mm	15	8,65
	185964	110x75 mm	12	8,95
	185965	110x90 mm	9	23,90
	186132	50x40 mm	25	3,40
	186142	75x40 mm	15	5,95
	186143	75x50 mm	15	6,15
	186162	110x40 mm	15	8,35
	186163	110x50 mm	15	8,60
	186164	110x75 mm	12	9,20

Produktgroep 18 A WAFIX PP binnenriolering buizen + hulpstukken**Wafix PP hulpstukken** zwart Benor, NBN-EN 1451 (diameter 125 en 160 mm op aanvraag)

artikel	art.nr.	diameter	verpakking	€ / st
	18621	40x32 mm	1	1,90
	18622	50x32 mm	50	2,40
	18623	50x40 mm	50	2,15
	18624	75x40 mm	1	3,20
	18625	75x50 mm	20	3,15
	18626	90x40 mm	1	5,15
	18627	90x50 mm	20	6,00
	18628	90x75 mm	25	7,05
	18651	110x40 mm	25	5,15
	18652	110x50 mm	25	5,20
	18654	110x75 mm	20	5,20
	18655	110x90 mm	20	6,30
	18661	32 mm	40	0,70
	18662	40 mm	130	1,25
	18663	50 mm	50	0,95
	18664	75 mm	25	2,05
	18665	90 mm	24	2,85
	18666	110 mm	12	3,65
	185869	110 mm	8	119,40
	185848	75 mm	15	13,95
	185868	110 mm	12	16,00
	18684	75 mm	28	9,50
	18686	110 mm	20	10,80
	18694	75 mm	15	8,30
	18696	110 mm	10	11,40